Author Index

Abe, A., see Yamane, M. 575(1992)7
Aburada, M., see Wakui, Y. 575(1992)131
Allenmark, S., see Chelminska-Bertilsson, M. 575(1992)237
Ally, A. and Park, G.
Rapid determination of creatine, phosphocreatine, purine bases and nucleotides (ATP, ADP, AMP, GTP, GDP) in heart biopsies by gradient ion-pair reversed-phase liquid chromatography 575(1992)19
Andresen, A. T., Jacobsen, P. B. and Rasmussen, K. E.
Automated high-performance liquid chromatography of iopentol in human plasma and whole blood using on-line dialysis as sample preparation 575(1992)93
Andriollo, O., Lartigue-Mattei, C., Chabard, J. L., Bargnoux, H., Petit, J., Berger, J. A. and Pognat, J. F.
Measurement of trazodone in plasma and brain of rat by capillary gas chromatography with a nitrogen-selective detector 575(1992)301
Aoki, I., see Yamaguchi, M. 575(1992)123
Armand, J. P., see Barilero, I. 575(1992)275
Balcells, J., Guada, J. A., Peiró, J. M. and Parker, D. S.
Simultaneous determination of allantoin and oxypurines in biological fluids by high-performance liquid chromatography 575(1992)153
Bargnoux, H., see Andriollo, O. 575(1992)301
Barilero, I., Gandia, D., Armand, J. P., Mathieu-Boué, A., Ré, M., Gouyette, A. and Chabot, G. G.
Simultaneous determination of the camptothecin analogue CPT-11 and its active metabolite SN-38 by high-performance liquid chromatography: application to plasma pharmacokinetic studies in cancer patients 575(1992)275
Bartels, M. J. and Kastl, P. E.
Analysis of 3,5,6-trichloropyridinol in human urine using negative-ion chemical ionization gas chromatography–mass spectrometry 575(1992)69
Berger, J. A., see Andriollo, O. 575(1992)301
Betto, P., Meneguz, A., Ricciarello, G. and Pichini, S.
Simultaneous high-performance liquid chromatographic analysis of buspirone and its metabolite 1-(2-pyrimidinyl)-piperazine in plasma using electrochemical detection 575(1992)117
Biarez, O., see Tod, M. 575(1992)171
Bisse, E. and Wieland, H.
Coupling of *m*-aminophenylboronic acid to *s*-triazine-activated Sephacryl: use in the affinity chromatography of glycated hemoglobins 575(1992)223
Blank, C. L., see Ikarashi, Y. 575(1992)29
Blaschke, G., see Fieger, H. 575(1992)255
Blumer, J. L., see Ogata, T. 575(1992)39
Boddy, A. V. and Idle, J. R.
Combined thin-layer chromatography–photography–densitometry for the quantification of ifosfamide and its principal metabolites in urine, cerebrospinal fluid and plasma 575(1992)137
Bohrer, A., see Turk, J. 575(1992)183
Browne, S. P., Tebbett, I. R., Moore, C. M., Dusick, A., Covert, R. and Yee, G. T.
Analysis of meconium for cocaine in neonates 575(1992)158
Cert, A., see Ruiz-Gutierrez, V. 575(1992)1
Chabard, J. L., see Andriollo, O. 575(1992)301
Chabot, G. G., see Barilero, I. 575(1992)275
Chelminska-Bertilsson, M. and Allenmark, S.
Liquid chromatographic monitoring of pseudocholinesterase activity: comparison of methods 575(1992)237
Cholerton, S., Idle, M. E., Vas, A., Gonzalez, F. J. and Idle, J. R.
Comparison of a novel thin-layer chromatographic–fluorescence detection method with a spectrofluorometric method for the determination of 7-hydroxycoumarin in human urine 575(1992)325
Cousty-Berlin, D., see Vicat, P. 575(1992)315
Covert, R., see Browne, S. P. 575(1992)158
Cserháti, T. and Magyar, K.
Lipophilicity determination of some monoamine oxidase inhibitors: the effect of methanol and ammonium chloride 575(1992)57
De Klippel, N., see Sarre, S. 575(1992)207
Deleu, D., see Sarre, S. 575(1992)207
Desiderio, D. M., see Harajiri, S. 575(1992)213
Dusick, A., see Browne, S. P. 575(1992)158
Ebinger, G., see Sarre, S. 575(1992)207
Feng, N., Minder, E. I., Grampp, T. and Vonderschmitt, D. J.
Identification and quantification of ergotamine in human plasma by gas chromatography–mass spectrometry 575(1992)289
Fieger, H. and Blaschke, G.
Direct determination of the enantiomeric ratio of verapamil, its major metabolite norverapamil and gallopamil in plasma by chiral high-performance liquid chromatography 575(1992)255
Fujimaki, Y., Sudo, K. and Hakusui, H.
Simultaneous determination of nefiracetam and its metabolites by high-performance liquid chromatography 575(1992)261
Gandia, D., see Barilero, I. 575(1992)275
Gazzaniga, P. P., see Pulcinelli, F. M. 575(1992)51
Gelpí, E., see Ramis, I. 575(1992)143
Gomez, L. E. and Lehmann F., P. A.
Plasma determination of the novel anticonvulsant D,L-3-hydroxy-3-ethyl-3-phenylpropionamide and preliminary pharmacokinetic studies in the rat 575(1992)306
Gonzalez, F. J., see Cholerton, S. 575(1992)325
Gorrod, J. W., see Kajbaf, M. 575(1992)75
Gouyette, A., see Barilero, I. 575(1992)275
Grampp, T., see Feng, N. 575(1992)289
Guada, J. A., see Balcells, J. 575(1992)153
Hakusui, H., see Fujimaki, Y. 575(1992)261
Hansen, G. R., see Köppel, C. 575(1992)87

Harajiri, S., Wood, G. and Desiderio, D.M.
Analysis of proenkephalin A, proopiomelanocortin and protachykinin neuropeptides in human lumbar cerebrospinal fluid by reversed-phase high-performance liquid chromatography, radioimmunoassay and enzymolysis 575(1992)213
Herregodts, P., see Sarre, S. 575(1992)207
Hirai, S. I., see Yamaguchi, M. 575(1992)123
Hsieh, C. Y. and Huang, J.
Two-dimensional high-performance liquid chromatographic method to assay *p*-hydroxyphenylphenylhydantoin enantiomers in biological fluids and stereoselectivity of enzyme induction in phenytoin metabolism 575(1992)109
Huang, J., see Hsieh, C. Y. 575(1992)109
Hunt, P., see Vicat, P. 575(1992)315
Huwe, J. K.
Artifact formation during gas chromatographic–mass spectrometric analysis of a methylsulfinyl-containing metabolite 575(1992)287
Idle, J. R., see Boddy, A. V. 575(1992)137
Idle, J. R., see Cholerton, S. 575(1992)325
Idle, M. E., see Cholerton, S. 575(1992)325
Ikarashi, Y., Iwatsuki, H., Blank, C. L. and Maruyama, Y.
Glassy carbon pre-column for direct determination of acetylcholine and choline in biological samples using liquid chromatography with electrochemical detection 575(1992)29
Ikeda, M. and Kusaka, T.
Liquid chromatography–mass spectrometry of hydroxy and non-hydroxy fatty acids as amide derivatives 575(1992)197
Ishibashi, E., see Wakui, Y. 575(1992)131
Iwatsuki, H., see Ikarashi, Y. 575(1992)29
Jacobsen, P. B., see Andresen, A. T. 575(1992)93
Jahanshahi, M., see Kajbaf, M. 575(1992)75
Kaczvinsky, Jr., J. R. and Read, S. A.
Development and use of a stability-indicating high-performance liquid chromatographic assay for Meldrum's acid 575(1992)177
Kajbaf, M., Jahanshahi, M., Pattichis, K., Gorrod, J. W. and Naylor, S.
Rapid and efficient purification of cimetropium bromide and mifentidine drug metabolite mixtures derived from microsomal incubates for analysis by mass spectrometry 575(1992)75
Kastl, P. E., see Bartels, M. J. 575(1992)69
Katz, R. N., see Roboz, J. 575(1992)281
Kim, T. J., Park, J. S. and Shin, H. S.
Identification of new urinary metabolites of trimeprazine in rats by gas chromatography–mass spectrometry 575(1992)295
King, C. R., see Maguire, M. H. 575(1992)243
Köppel, C., Wagemann, A., Hansen, G. R. and Müller, C.
Monitoring of ajmaline in plasma with high-performance liquid chromatography 575(1992)87
Krishna, D. R., see Venkataramana, D. 575(1992)167
Kusaka, T., see Ikeda, M. 575(1992)197
Lartigue-Mattei, C., see Andriollo, O. 575(1992)301
Lehmann F., P. A., see Gomez, L. E. 575(1992)306
Maguire, M. H., Szabo, I., Slegel, P. and King, C. R.
Determination of concentrations of adenosine and other purines in human term placenta by reversed-phase high-performance liquid chromatography with photodiode-array detection: evidence for pathways of purine metabolism in the placenta 575(1992)243
Magyar, K., see Cserháti, T. 575(1992)57
Makita, T., see Sato, J. 575(1992)63
Mallett, C. D., see Page, K. M. 575(1992)319
Mancinelli, A., Pace, S., Marzo, A., Martelli, E. A. and Passetti, G.
Determination of pentoxifylline and its metabolites in human plasma by high-performance liquid chromatography with solid-phase extraction 575(1992)101
Mangino, M. J., see Turk, J. 575(1992)183
Martelli, E. A., see Mancinelli, A. 575(1992)101
Maruyama, Y., see Ikarashi, Y. 575(1992)29
Marzo, A., see Mancinelli, A. 575(1992)101
Mathieu-Boué, A., see Barilero, I. 575(1992)275
Matsuzaki, Y., see Wakui, Y. 575(1992)131
Meneguz, A., see Betto, P. 575(1992)117
Michotte, Y., see Sarre, S. 575(1992)207
Minder, E. I., see Feng, N. 575(1992)289
Moore, C. M., see Browne, S. P. 575(1992)158
Müller, C., see Köppel, C. 575(1992)87
Myers, C., see Ogata, T. 575(1992)39
Nagata, Y., Yamamoto, K. and Shimojo, T.
Determination of D- and L-amino acids in mouse kidney by high-performance liquid chromatography 575(1992)147
Naylor, S., see Kajbaf, M. 575(1992)75
Nicolas, P., see Tod, M. 575(1992)171
Ogata, T., Myers, C. and Blumer, J. L.
Determination of platelet monoamine oxidase activity by high-performance liquid chromatography with electrochemical detection 575(1992)39
Oyama, T., see Wakui, Y. 575(1992)131
Pace, S., see Mancinelli, A. 575(1992)101
Page, K. M., Mallett, C. D. and Page, M. R.
Determination of the novel hydroxymethyl glutaryl coenzyme A reductase inhibitor (RP 61969) and its dihydroxy acid hydrolysis product in human plasma by reversed-phase high-performance liquid chromatography 575(1992)319
Page, M. R., see Page, K. M. 575(1992)319
Park, G., see Ally, A. 575(1992)19
Park, J. S., see Kim, T. J. 575(1992)295
Parker, D. S., see Balcells, J. 575(1992)153
Passetti, G., see Mancinelli, A. 575(1992)101
Pattichis, K., see Kajbaf, M. 575(1992)75
Peiró, J. M., see Balcells, J. 575(1992)153
Petit, J., see Andriollo, O. 575(1992)301
Petitjean, O., see Tod, M. 575(1992)171
Pichini, S., see Betto, P. 575(1992)117
Podrazký, V., see Šťovíčková, J. 575(1992)229
Pognat, J. F., see Andriollo, O. 575(1992)301
Pulcinelli, F. M., Gazzaniga, P. P. and Salganicoff, L.
Use of Zn–pyrophosphatase in the high-performance liquid chromatographic analysis of cell extracts containing ^{32}P-labelled inositol phosphates 575(1992)51
Ramanadham, S., see Turk, J. 575(1992)183

Ramis, I., Roselló-Catafau, J. and Gelpí, E.
In vivo transformation of arachidonic acid into 12-hydroxy-5,8,10,14-eicosatetraenoic acid by human nasal mucosa 575(1992)143
Rasmussen, K. E., see Andresen, A. T. 575(1992)93
Ré, M., see Barilero, I. 575(1992)275
Read, S. A., see Kaczvinsky, Jr., J. R. 575(1992)177
Reeuwijk, H. J. E. M., Tjaden, U. R. and Van der Greef, J.
Simultaneous determination of furosemide and amiloride in plasma using high-performance liquid chromatography with fluorescence detection 575(1992)269
Řezanka, T.
Practical manual on lipid analysis. A series of monographs. I. Fatty acids (by J. G. Alvarez and J. C. Touchstone) (Book Review) 575(1992)182
Ricciarello, G., see Betto, P. 575(1992)117
Rios, J. J., see Ruiz-Gutierrez, V. 575(1992)1
Roboz, J. and Katz, R. N.
Diagnosis of disseminated candidiasis based on serum D/L-arabinitol ratios using negative chemical ionization mass spectrometry 575(1992)281
Roselló-Catafau, J., see Ramis, I. 575(1992)143
Ruiz-Gutierrez, V., Cert, A. and Rios, J. J.
Determination of phospholipid fatty acid and triacylglycerol composition of rat caecal mucosa 575(1992)1
Salganicoff, L., see Pulcinelli, F. M. 575(1992)51
Sarre, S., Michotte, Y., Herregodts, P., Deleu, D., De Klippel, N. and Ebinger, G.
High-performance liquid chromatography with electrochemical detection for the determination of levodopa, catecholamines and their metabolites in rat brain dialysates 575(1992)207
Sasaki, H., see Wakui, Y. 575(1992)131
Sato, J., Watanabe, K., Takahama, S. and Makita, T.
Quantification of 5-fluoro-2′-deoxyuridine in plasma by gas chromatography and negative-ion chemical ionization mass spectrometry 575(1992)63
Shimojo, T., see Nagata, Y. 575(1992)147
Shin, H. S., see Kim, T. J. 575(1992)295
Slegel, P., see Maguire, M. H. 575(1992)243
Šťovíčková, J., Podrazký, V. and Trnavský, K.
Affinity chromatography of serine proteinases from the bovine intervertebral disc on BPTI–Separon HEMA 1000 575(1992)229
Stump, W. T., see Turk, J. 575(1992)183
Sudo, K., see Fujimaki, Y. 575(1992)261
Szabo, I., see Maguire, M. H. 575(1992)243
Tabata, T., see Yamaguchi, M. 575(1992)123
Takahama, S., see Sato, J. 575(1992)63
Takeda, S., see Wakui, Y. 575(1992)131
Tanaka, E.
Simultaneous determination of caffeine and its primary demethylated metabolites in human plasma by high-performance liquid chromatography 575(1992)311
Tebbett, I. R., see Browne, S. P. 575(1992)158
Théorêt, Y. and Varin, F.
Simple, rapid and selective method using high-performance liquid chromatography for the determination of bretylium in plasma 575(1992)162
Tjaden, U. R., see Reeuwijk, H. J. E. M. 575(1992)269
Tod, M., Biarez, O., Nicolas, P. and Petitjean, O.
Sensitive determination of josamycin and rokitamycin in plasma by high-performance liquid chromatography with fluorescence detection 575(1992)171
Trnavský, K., see Šťovíčková, J. 575(1992)229
Turk, J., Bohrer, A., Stump, W. T., Ramanadham, S. and Mangino, M. J.
Quantification of distinct molecular species of the 2-lyso metabolite of platelet-activating factor by gas chromatography–negative-ion chemical ionization mass spectrometry 575(1992)183
Van der Greef, J., see Reeuwijk, H. J. E. M. 575(1992)269
Varin, F., see Théorêt, Y. 575(1992)162
Vas, A., see Cholerton, S. 575(1992)325
Venkataramana, D. and Krishna, D. R.
High-performance liquid chromatographic determination of usnic acid in plasma 575(1992)167
Vicat, P., Cousty-Berlin, D. and Hunt, P.
Determination of the enantiomers of a novel 20,21-dinoreburnamenine derivative in rat plasma and brain by high-performance liquid chromatography using a chiral stationary phase 575(1992)315
Vonderschmitt, D. J., see Feng, N. 575(1992)289
Wagemann, A., see Köppel, C. 575(1992)87
Wakui, Y., Yanagisawa, E., Ishibashi, E., Matsuzaki, Y., Takeda, S., Sasaki, H., Aburada, M. and Oyama, T.
Determination of baicalin and baicalein in rat plasma by high-performance liquid chromatography with electrochemical detection 575(1992)131
Watanabe, K., see Sato, J. 575(1992)63
Wieland, H., see Bisse, E. 575(1992)223
Wood, G., see Harajiri, S. 575(1992)213
Yamaguchi, M., Yamashita, K., Aoki, I., Tabata, T., Hirai, S. I. and Yashiki, T.
Determination of manidipine enantiomers in human serum using chiral chromatography and column-switching liquid chromatography 575(1992)123
Yamamoto, K., see Nagata, Y. 575(1992)147
Yamane, M. and Abe, A.
High-performance liquid chromatography–thermospray mass spectrometry of hydroxy-polyunsaturated fatty acid acetyl derivatives 575(1992)7
Yamashita, K., see Yamaguchi, M. 575(1992)123
Yanagisawa, E., see Wakui, Y. 575(1992)131
Yashiki, T., see Yamaguchi, M. 575(1992)123
Yee, G. T., see Browne, S.P. 575(1992)158